

---

# **abgabesystem Documentation**

**Tim Schubert**

**Sep 20, 2018**



---

## Contents:

---

<b>1</b>	<b>Indices and tables</b>	<b>1</b>
	<b>Python Module Index</b>	<b>3</b>



---

## Indices and tables

---

- `genindex`
- `modindex`
- `search`

**class** `abgabesystem.students.Student` (*user, mail, name, group*)

A Gitlab user

Students are read from the CSV file that was exported from Stud.IP. For each user, a dummy LDAP user is created in Gitlab. Upon the first login Gitlab fetches the complete user using LDAP.

**from\_csv** ()

Creates an iterable containing the users

`abgabesystem.students.create_user` (*gl, student, ldap\_base, ldap\_provider*)

Creates a GitLab user account student. Requires admin privileges.

`abgabesystem.students.get_students` (*gl, students\_csv*)

Returns already existing GitLab users for students from provided CSV file that have an account.

**class** `abgabesystem.students.Student` (*user, mail, name, group*)

A Gitlab user

Students are read from the CSV file that was exported from Stud.IP. For each user, a dummy LDAP user is created in Gitlab. Upon the first login Gitlab fetches the complete user using LDAP.

**from\_csv** ()

Creates an iterable containing the users



### **a**

`abgabesystem`, [1](#)

`abgabesystem.students`, [1](#)





### A

`abgabesystem` (module), 1

`abgabesystem.students` (module), 1

### C

`create_user()` (in module `abgabesystem.students`), 1

### F

`from_csv()` (`abgabesystem.students.Student` method), 1

### G

`get_students()` (in module `abgabesystem.students`), 1

### S

`Student` (class in `abgabesystem.students`), 1